



PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Books

Search Nucleotide

for

Go Clear

Limits

Preview/Index

History

Clipboard

Details

Display GenBank

Show 5

Send to

Range: from begin to end ☐ Reverse complemented strand Features: ☐ SNP ☐ SNP graph ☐ CDD ☒ MGC

☐ 1: [BM690735](#). Reports UI-E-CK0-aav-c-12...[gi:19003993] [Links](#)

LOCUS BM690735 675 bp mRNA linear EST 28-FEB-2002

DEFINITION UI-E-CK0-aav-c-12-0-UI.r1 UI-E-CK0 Homo sapiens cDNA clone
UI-E-CK0-aav-c-12-0-UI 5', mRNA sequence.

ACCESSION BM690735

VERSION BM690735.1 GI:19003993

KEYWORDS EST.

SOURCE Homo sapiens (human)

ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
Hominidae; Homo.

REFERENCE 1 (bases 1 to 675)

AUTHORS Bonaldo,M.F., Lennon,G. and Soares,M.B.

TITLE Normalization and subtraction: two approaches to facilitate gene
discovery

JOURNAL Genome Res. 6 (9), 791-806 (1996)

PUBMED [8889548](#)

COMMENT Contact: Soares, MB
Coordinated Laboratory for Computational Genomics
University of Iowa
375 Newton Road , 4156 MEBRF, Iowa City, IA 52242, USA
Tel: 319 335 8250
Fax: 319 335 9565

Email: bento-soares@uiowa.edu

Tissue Procurement: Dr. Gregg Hageman
cDNA Library preparation: Dr. M. Bento Soares, Univeristy of Iowa
cDNA Library Arrayed by: Dr. M. Bento Soares, Univeristy of Iowa
DNA Sequencing by: Dr. M. Bento Soares, Univeristy of Iowa
Clone Distribution: Researchers may obtain clones from Research
Genetics (www.resgen.com).
Seq primer: M13 Reverse.

FEATURES Location/Qualifiers
source 1..675
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="UI-E-CK0-aav-c-12-0-UI"
/tissue_type="Retina Foveal and Macular"
/dev_stage="adult"
/lab_host="DH10B (Life Technologies) (T1 phage resistant)"
/clone_lib="UI-E-CK0"
/note="Organ: eye; Vector: pT7T3-Pac (Pharmacia) with a
modified polylinker; Site_1: EcoR I; Site_2: Not I;
UI-E-CK0 is a cDNA library containing the following tissue
(s): Retina Foveal and Macular. The library was
constructed according to Bonaldo, Lennon and Soares,
Genome Research, 6:791-806, 1996. First strand cDNA
synthesis was primed with an oligo-dT primer containing a
Not I site. Double stranded cDNA was ligated to an EcoR I
adaptor, digested with Not I, and cloned directionally

into pT7T3-Pac vector. The oligonucleotide used to prime the synthesis of first-strand cDNA contains a library tag sequence that is located between the Not I site and the (dT)18 tail. The sequence tag for this library is GTCC. This library was created for the program, Gene Discovery in the Visual System, supported by National Eye Institute (NEI)."

ORIGIN

```
1  cacgaggcaa  atatagaaga  tcatgtactt  ggcaaccagt  aaattctgaa  gaaaaagaca
61  cttactttatt attaaaaccc  caaatgcaat  cagcgaaaca  tattttttact attcttggat
121 gatagtcaaa  atgatcataa  gccaggtttg  cttccacctt  ccctgaaaat  tttactcaca
181 gatcatttgc  aacaagcata  gcttacttat  tgttttaggga  ctgaacaatt  tattgggaag
241 caaactcttt  atatgctaga  aagtacattt  aaaagatgac  tacttacgca  gggagatgca
301 ggtctctcta  aacgcatgaa  tgtatgtagt  gtgtaggcac  tgtagtgagt  gtatatatgc
361 tccacactac  gtctgataaa  cacaaacctc  agtattcagt  tattaggcac  actagtttta
421 tacgcaacta  ctgcttacat  agtagactgt  tttgttgcca  ataatctttg  aattgttctt
481 taaaagaaac  tgaggttcag  atacacatac  catggaaaaa  tcttactttt  cttgttacta
541 caciaagcta  ttttaaagaa  gatgctatgt  tgggagaagg  gcgaagttgt  actatatgac
601 ataatcaatt  cctgtcttcc  acacagatga  acatgtcttc  ctataatact  tcagaatatt
661 tctcacacaa  cttta
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Aug 8 2005 15:12:56